# Author Index


Adam, M., see O'Neill, G.P. (1129) 131
Adams, V., see Griffin, L.D. (1129) 309
Ajtkhozhina, N.A., see Tujebajeva, R.M. (1129) 177
Allegra, P., see Caiafa, P. (1129) 43
Amadei, A., see Camilloni, G. (1129) 73
Amino, N., see Tatsumi, K.-i. (1129) 231
Andreadis, A. and Rosenthal, E.R.
The nucleotide sequence of *leuB* from *Salmonella typhimurium* (1129) 228
Arimura, A., see Hosoya, M. (1129) 199
Aronson, P.S., see Hildebrandt, F. (1129) 105

Beckman, D.L. and Kranz, R.G.
A bacterial homolog to HPRT (1129) 112
Bensadoun, A., see Cooper, D.A. (1129) 166
Beppu, T., see Kobayashi, M. (1129) 23
Bhasin, R. and Freundlich, M.
The nucleotide sequence of the *Escherichia coli crp* divergent RNA and an overlapping ORF (1129) 109
Bisson, R., see Rizzuto, R. (1129) 100
Boldyreff, B., see Dobrowolska, G. (1129) 139
Bosch, L., see Sam, T. (1129) 64
Brenner, B.M., see Marsden, P.A. (1129) 245
Brini, M., see Rizzuto, R. (1129) 100
Brown, J.W.S., see Hu, Y. (1129) 90

Cai, F., Tang, D. and Weber, J.M.
Primary structure of the murine adenovirus type 1 proteinase (1129) 339
Caiafa, P., Reale, A., D'Erme, M., Allegra, P., Santoro, R. and Strom, R.
Histones and DNA methylation in mammalian chromatin. II. Presence of non-inhibitory tightly-bound histones (1129) 43
Camilloni, G., Caserta, M., Amadei, A. and Di Mauro, E.
The conformation of constitutive DNA interaction sites for eukaryotic DNA topoisomerase I on intrinsically curved DNAs (1129) 73
Capaldi, R.A., see Rizzuto, R. (1129) 100
Caserta, M., see Camilloni, G. (1129) 73
Cato, A.C.B., see Ponta, H. (1129) 255
Chai, K.X., Chao, J. and Chao, L.
Molecular cloning and sequence analysis of the mouse kallikrein-binding protein gene (1129) 127
Chang, S.-C., Yang, W.-C. and Lee, Y.-H.W.
The 16S rNA gene of *Streptomyces lividans* TK64 contains internal promoters (1129) 219
Chang, Y.-S., see Huang, C.-J. (1129) 237
Chao, J., see Chai, K.X. (1129) 127
Chao, L., see Chai, K.X. (1129) 127
Chopra, A.K., Peterson, J.W. and Prasad, R.
Cloning and sequence analysis of hydrogenase regulatory genes (*hydHG*) from *Salmonella typhimurium* (1129) 115
Chung, H.-H., Kim, R. and Kim, S.-H.
Biochemical and biological activity of phosphorylated and non-phosphorylated *ras* p21 mutants (1129) 278
Ciana, A., see Ruggiero, J. (1129) 294
Ciejek-Baez, E., see Maine, A.B. (1129) 240
Clarke, E.P. and Sanwal, B.D.
Cloning of a human collagen-binding protein, and its homology with rat gp46, chick hsp47 and mouse J6 proteins (1129) 242
Collins, T., see Marsden, P.A. (1129) 245
Colombo, P., Yon, J. and Fried, M.
The organization and expression of the human L7a ribosomal protein gene (1129) 93
Cooper, D.A., Lu, S.-C., Viswanath, R., Freiman, R.N. and Bensadoun, A.
The structure and complete nucleotide sequence of the avian lipoprotein lipase gene (1129) 166
Cybulsky, M., see Marsden, P.A. (1129) 245

Dassa, E., see Schneider, E. (1129) 223
Davies, N. and Lindsey, G.G.
Histone–DNA contacts in the 167 bp 2-turn core particle (1129) 57
Davies, P.L., see Rancourt, D.E. (1129) 188
D'Erme, M., see Caiafa, P. (1129) 43
De Strooper, B., Van Leuven, F. and Van Den Berghe, H.
The amyloid $\beta$ protein precursor or proteinase nexin II from mouse is closer related to its human homolog than previously reported (1129) 141
Di Mauro, E., see Camilloni, G. (1129) 73
Dirheimer, G., see Heitzler, J. (1129) 273
Dobrowolska, G., Boldyreff, B. and Issinger, O.-G.
Cloning and sequencing of the casein kinase 2 $\alpha$ subunit from *Zea mays* (1129) 139

Eecen, G.-J., see Sam, T. (1129) 64
Eguchi, M., see Itoh, M. (1129) 135
Eizenberg, O. and Oren, M.
Reduced levels of $\alpha$1 (I) collagen mRNA in cells immortalized by mutant p53 or transformed by *ras* (1129) 34

Fedorova, O.S., see Tujebajeva, R.M. (1129) 177
Flannigan, D., see Harauz, G. (1129) 207
Ford-Hutchinson, A.W., see O'Neill, G.P. (1129) 131
Francoz, E., see Schneider, E. (1129) 223
Freiman, R.N., see Cooper, D.A. (1129) 166
Freundlich, M., see Bhasin, R. (1129) 109
Fried, M., see Colombo, P. (1129) 93
Fujii, T., see Miyamoto, K.-i. (1129) 195
Fujino, M., see Hosoya, M. (1129) 199
Fukamizu, A., see Seo, M.-S. (1129) 87

Gachelin, G., see Morita, T. (1129) 96
Gelb, B.D., see Griffin, L.D. (1129) 309
Gimbrone, Jr., M.A., see Marsden, P.A. (1129) 245
Goto, S., see Kawanomoto, M. (1129) 335
Graifer, D.M., see Tujebajeva, R.M. (1129) 177
Griffin, L.D., Gelb, B.D., Adams, V. and McCabe, E.R.B.
Developmental expression of hexokinase 1 in the rat (1129) 309
Grygorczyk, R., see O'Neill, G.P. (1129) 131
Guarino, L., see Huybrechts, R. (1129) 328

Haga, T., see Komase, K. (1129) 342
Hagihira, H., see Miyamoto, K.-i. (1129) 195
Harauz, G., Letvenuk, L. and Flannigan, D.
Electron image analysis of ribosomal subunits from *Thermus aquaticus* (1129) 207
Hashimoto, T., see Kamijo, K. (1129) 323
Hatanaka, M., see Lee, W.J. (1129) 248
Hattori, H., see Kawanomoto, M. (1129) 335
Hayzer, D.J., see Zhong, C. (1129) 234
Heber, S. and Tropp, B.E.
Genetic regulation of cardiolipin synthase in *Escherichia coli* (1129) 1
Heitzler, J., Maréchal-Drouard, L., Dirheimer, G. and Keith, G.
Use of a dot blot hybridization method for identification of pure tRNA species on different membranes (1129) 273
Hemilä, H.
Lipoamide dehydrogenase of *Staphylococcus aureus*: nucleotide sequence and sequence analysis (1129) 119
Hernández, F., see Piñeiro, M. (1129) 183
Herrlich, P., see Ponta, H. (1129) 255
Hildebrandt, F., Pizzonia, J.H., Reilly, R.F., Rebouças, N.A., Sardet, C., Pouysségur, J., Slayman, C.W., Aronson, P.S. and Igarashi, P.
Cloning, sequence and tissue distribution of a rabbit renal $Na^+/H^+$ exchanger transcript (1129) 105
Hirvas, L., see Vuorio, R. (1129) 124
Horinouchi, S., see Kobayashi, M. (1129) 23
Hosoya, M., Kimura, C., Ogi, K., Ohkubo, S., Miyamoto, Y., Kugoh, H., Shimizu, M., Onda, H., Oshimura, M., Arimura, A. and Fujino, M.
Structure of the human pituitary adenylate cyclase activating polypeptide (PACAP) gene (1129) 199
Hu, Y., Brown, J.W.S., Waugh, R. and Turner, P.C.
Cloning and characterisation of a U6 small nuclear RNA gene from potato (1129) 90
Huang, C.-J., Huang, F.-L., Wang, Y.-C., Chang, Y.-S. and Lo, T.-B.
Organization and nucleotide sequence of carp gonadotropin $\alpha$ subunit genes (1129) 237
Huang, F.-L., see Huang, C.-J. (1129) 237
Huybrechts, R., Guarino, L., Van Brussel, M. and Vulsteke, V.
Nucleotide sequence of a transactivating *Bombyx mori* nuclear polyhedrosis virus immediate early gene (1129) 328

Igarashi, P., see Hildebrandt, F. (1129) 105
Issinger, O.-G., see Dobrowolska, G. (1129) 139
Itoh, M., Takeda, S., Yamamoto, H., Izumi, S., Tomino, S. and Eguchi, M.
Cloning and sequence analysis of membrane-bound alkaline phosphatase cDNA of the silkworm, *Bombyx mori* (1129) 135
Izumi, S., see Itoh, M. (1129) 135

Kalkkinen, N., see Lundström, K. (1129) 149
Kamijo, K., Kamijo, T., Ueno, I., Osumi, T. and Hashimoto, T.
Nucleotide sequence of the human 70 kDa peroxisomal membrane protein: a member of ATP-binding cassette transporters (1129) 323
Kamijo, T., see Kamijo, K. (1129) 323
Karpova, G.G., see Tujebajeva, R.M. (1129) 177
Kawanomoto, M., Motojima, K., Sasaki, M., Hattori, H. and Goto, S.
cDNA cloning and sequence of rat ribonuclease inhibitor, and tissue distribution of the mRNA (1129) 335
Keith, G., see Heitzler, J. (1129) 273
Kim, R., see Chung, H.-H. (1129) 278
Kim, S.-H., see Chung, H.-H. (1129) 278
Kimura, C., see Hosoya, M. (1129) 199
Kobayashi, M., Nishiyama, M., Nagasawa, T., Horinouchi, S., Beppu, T. and Yamada, H.
Cloning, nucleotide sequence and expression in *Escherichia coli* of two cobalt-containing nitrile hydratase genes from *Rhodococcus rhodochrous* J1 (1129) 23
Komase, K., Haga, T., Yoshikawa, Y. and Yamanouchi, K.
Complete nucleotide sequence of the phosphoprotein of the Yamagata-1 strain of a defective subacute sclerosing panencephalitis (SSPE) virus (1129) 342
Košovský, J., Šubr, Z., Popovňáková, K. and Zelinka, J.
Production of multiple forms during purification of *Streptomyces aureofaciens* DNA polymerase: a study using nondenaturing polyacrylamide gradient gel electrophoresis (1129) 287
Kranz, R.G., see Beckman, D.L. (1129) 112
Kubota, H., see Morita, T. (1129) 96
Kugoh, H., see Hosoya, M. (1129) 199

Lee, W.J., Hatanaka, M. and Maki, M.
Multiple forms of rat calpastatin cDNA in the coding region of functionally unknown amino-terminal domain (1129) 248
Lee, Y.-H.W., see Chang, S.-C. (1129) 219
Letvenuk, L., see Harauz, G. (1129) 207
Lindsey, G.G., see Davies, N. (1129) 57
Lo, T.-B., see Huang, C.-J. (1129) 237
Lu, S.-C., see Cooper, D.A. (1129) 166
Ludes-Meyers, J., see Wilson, V.G. (1129) 215
Lundström, K., Tilgmann, C., Peränen, J., Kalkkinen, N. and Ulmanen, I.
Expression of enzymatically active rat liver and human placental catechol-*O*-methyltransferase in *Escherichia coli*; purification and partial characterization of the enzyme (1129) 149
Luo, S., see Rogers, P.V. (1129) 262

Macgregor, Jr., R.B.
Footprinting of *Eco*RI endonuclease at high pressure (1129) 303
Maine, A.B., Stauffer, J.K., Tolan, D.R. and Ciejek-Baez, E.
Unique use of alternative polyadenylation signals in the mouse aldolase B gene (1129) 240
Maki, M., see Lee, W.J. (1129) 248
Mandel, M., see Sam, T. (1129) 64
Manzini, G., see Ruggiero, J. (1129) 294
Maréchal-Drouard, L., see Heitzler, J. (1129) 273
Marsden, P.A., Sultan, P., Cybulsky, M., Gimbrone, Jr., M.A., Brenner, B.M. and Collins, T.
Nucleotide sequence of endothelin-1 cDNA from rabbit endothelial cells (1129) 245
Matasova, N.B., see Tujebajeva, R.M. (1129) 177
Matharu, P.J. and Sweeney, G.E.
Cloning and sequencing of a COUP transcription factor gene expressed in *Xenopus* embryos (1129) 331
Matsubara, T., see Miyamoto, K.-i. (1129) 195
Matsushiro, A., see Morita, T. (1129) 96
McCabe, E.R.B., see Griffin, L.D. (1129) 309
Mikoshiba, K., see Tamura, T.-a. (1129) 83
Minami, H., see Miyamoto, K.-i. (1129) 195
Miyai, K., see Tatsumi, K.-i. (1129) 231
Miyamoto, K.-i., Oka, T., Fujii, T., Matsubara, T., Minami, H., Nakabou, Y., Natori, Y. and Hagihira, H.
Differential mechanisms of induction of ornithine decarboxylase in rat intestine by L- and D-amino acids (1129) 195
Miyamoto, Y., see Hosoya, M. (1129) 199
Mizushima, T., see Tanji, K. (1129) 172
Morita, T., Kubota, H., Gachelin, G., Nozaki, M. and Matsushiro, A.
Cloning of cDNA encoding rat TCP-1 (1129) 96
Motojima, K., see Kawanomoto, M. (1129) 335
Multhaup, G., see Schumacher, A. (1129) 13
Murakami, K., see Seo, M.-S. (1129) 87

Nagasawa, T., see Kobayashi, M. (1129) 23
Nagel, K. and Voigt, J.
An inhibitor of elongation factor G (EF-G) GTPase present in

the ribosome wash of *Escherichia coli*: a complex of initiation factors IF1 and IF3? (1129) 145
Nakabou, Y., see Miyamoto, K.-i. (1129) 195
Natori, S., see Tanji, K. (1129) 172
Natori, Y., see Miyamoto, K.-i. (1129) 195
Nicholson, A.W.
Accurate enzymatic cleavage in vitro of a 2′-deoxyribose-substituted ribonuclease III processing signal (1129) 318
Nishiyama, M., see Kobayashi, M. (1129) 23
Nordheim, A., see Schumacher, A. (1129) 13
Notomi, T., see Tatsumi, K.-i. (1129) 231
Nozaki, M., see Morita, T. (1129) 96

Odintsov, V.B., see Tujebajeva, R.M. (1129) 177
Ogi, K., see Hosoya, M. (1129) 199
Ohkubo, S., see Hosoya, M. (1129) 199
Ohmori, H., see Takai, T. (1129) 161
Oka, T., see Miyamoto, K.-i. (1129) 195
Onda, H., see Hosoya, M. (1129) 199
O'Neill, G.P., Grygorczyk, R., Adam, M. and Ford-Hutchinson, A.W.
The nucleotide sequence of a voltage-gated chloride channel from the electric organ of *Torpedo californica* (1129) 131
Oren, M., see Eizenberg, O. (1129) 34
Oshimura, M., see Hosoya, M. (1129) 199
Osumi, T., see Kamijo, K. (1129) 323

Palacián, E., see Piñeiro, M. (1129) 183
Peränen, J., see Lundström, K. (1129) 149
Peterson, J.W., see Chopra, A.K. (1129) 115
Piñeiro, M., Hernández, F. and Palacián, E.
Succinylation of histone amino groups facilitates transcription of nucleosomal cores (1129) 183
Pizzonia, J.H., see Hildebrandt, F. (1129) 105
Pley, C., see Sam, T. (1129) 64
Ponta, H., Cato, A.C.B. and Herrlich, P.
Interference of pathway specific transcription factors (1129) 255
Popanda, O. and Thielmann, H.W.
The function of DNA polymerases in DNA repair synthesis of ultraviolet-irradiated human fibroblasts (1129) 155
Popovňáková, K., see Košovský, J. (1129) 287
Pouysségur, J., see Hildebrandt, F. (1129) 105
Prasad, R., see Chopra, A.K. (1129) 115

Quadrifoglio, F., see Ruggiero, J. (1129) 294

Rancourt, D.E., Davies, P.L. and Walker, V.K.
Differential translatability of antifreeze protein mRNAs in a transgenic host (1129) 188
Raybourne, R.B., see Vuorio, R. (1129) 124
Reale, A., see Caiafa, P. (1129) 43
Rebouças, N.A., see Hildebrandt, F. (1129) 105
Reilly, R.F., see Hildebrandt, F. (1129) 105
Rizzuto, R., Sandonà, D., Brini, M., Capaldi, R.A. and Bisson, R.
The most conserved nuclear-encoded polypeptide of cytochrome *c* oxidase is the putative zinc-binding subunit: primary structure of subunit V from the slime mold *Dictyostelium discoideum* (1129) 100
Rogers, P.V., Luo, S., Sucic, J.F. and Rutherford, C.L.
Characterization and cloning of glycogen phosphorylase 1 from *Dictyostelium discoideum* (1129) 262
Rosenthal, E.R., see Andreadis, A. (1129) 228
Ruggiero, J., Xodo, L.E., Ciana, A., Manzini, G. and Quadrifoglio, F.
Charge effect in the interaction of doxorubicin and derivatives with polydeoxynucleotides (1129) 294
Runge, M.S., see Zhong, C. (1129) 234
Rutherford, C.L., see Rogers, P.V. (1129) 262

Sachs, G., see Tari, A. (1129) 49
Saito, T., see Seo, M.-S. (1129) 87
Sam, T., Eecen, G.-J., Pley, C., Bosch, L. and Mandel, M.
Thermal stability of turnip yellow mosaic virus RNA: effect of pH and multivalent cations on RNA deaggregation and degradation (1129) 64
Sandonà, D., see Rizzuto, R. (1129) 100
Santoro, R., see Caiafa, P. (1129) 43
Sanwal, B.D., see Clarke, E.P. (1129) 242
Sardet, C., see Hildebrandt, F. (1129) 105
Sasaki, M., see Kawanomoto, M. (1129) 335
Schneider, E., Francoz, E. and Dassa, E.
Completion of the nucleotide sequence of the 'maltose B' region in *Salmonella typhimurium*: the high conservation of the *malM* gene suggests a selected physiological role for its product (1129) 223
Schröter, H., see Schumacher, A. (1129) 13
Schumacher, A., Schröter, H., Multhaup, G. and Nordheim, A.
Murine cyclophilin-S1: a variant peptidyl-prolyl isomerase with a putative signal sequence expressed in differentiating F9 cells (1129) 13
Sekimizu, K., see Tanji, K. (1129) 172
Seo, M.-S., Fukamizu, A., Saito, T. and Murakami, K.
Identification of a previously unrecognized production site of human renin (1129) 87
Shimizu, M., see Hosoya, M. (1129) 199
Slayman, C.W., see Hildebrandt, F. (1129) 105
Stauffer, J.K., see Maine, A.B. (1129) 240
Strom, R., see Caiafa, P. (1129) 43
Šubr, Z., see Košovský, J. (1129) 287
Sucic, J.F., see Rogers, P.V. (1129) 262
Sultan, P., see Marsden, P.A. (1129) 245
Sumii, M., see Tari, A. (1129) 49
Sumita, K., see Tamura, T.-a. (1129) 83
Sweeney, G.E., see Matharu, P.J. (1129) 331

Takai, T. and Ohmori, H.
Enhancement of DNA transfection efficiency by heat treatment of cultured mammalian cells (1129) 161
Takeda, S., see Itoh, M. (1129) 135
Tamura, T.-a., Sumita, K. and Mikoshiba, K.
Sequences involved in brain-specific in vitro transcription from the core promoter of the mouse myelin basic protein gene (1129) 83
Tang, D., see Cai, F. (1129) 339
Tanji, K., Mizushima, T., Natori, S. and Sekimizu, K.
Induction by psychotropic drugs and local anesthetics of DnaK and GroEL proteins in *Escherichia coli* (1129) 172
Tari, A., Wu, V., Sumii, M., Sachs, G. and Walsh, J.H.
Regulation of rat gastric $H^+/K^+$-ATPase $\alpha$-subunit mRNA by omeprazole (1129) 49
Tatsumi, K.-i., Notomi, T., Amino, N. and Miyai, K.
Nucleotide sequence of the complementary DNA for human Pit-1/GHF-1 (1129) 231
Thielmann, H.W., see Popanda, O. (1129) 155
Tilgmann, C., see Lundström, K. (1129) 149
Tolan, D.R., see Maine, A.B. (1129) 240
Tomino, S., see Itoh, M. (1129) 135
Tropp, B.E., see Heber, S. (1129) 1
Tujebajeva, R.M., Graifer, D.M., Matasova, N.B., Fedorova, O.S., Odintsov, V.B., Ajtkhozhina, N.A. and Karpova, G.G.
Selective inhibition of the polypeptide chain elongation in eukaryotic cells (1129) 177
Turner, P.C., see Hu, Y. (1129) 90

Ueno, I., see Kamijo, K. (1129) 323
Ulmanen, I., see Lundström, K. (1129) 149

Vaara, M., see Vuorio, R. (1129) 124
Van Brussel, M., see Huybrechts, R. (1129) 328
Van Den Berghe, H., see De Strooper, B. (1129) 141
Van Leuven, F., see De Strooper, B. (1129) 141
Viswanath, R., see Cooper, D.A. (1129) 166
Voigt, J., see Nagel, K. (1129) 145
Vulsteke, V., see Huybrechts, R. (1129) 328
Vuorio, R., Hirvas, L., Raybourne, R.B., Yu, D.T.Y. and Vaara, M.
The nucleotide and deduced amino acid sequence of the cationic 19 kDa outer membrane protein OmpH of *Yersinia pseudotuberculosis* (1129) 124

Walker, V.K., see Rancourt, D.E. (1129) 188
Walsh, J.H., see Tari, A. (1129) 49
Wang, Y.-C., see Huang, C.-J. (1129) 237
Waugh, R., see Hu, Y. (1129) 90
Weber, J.M., see Cai, F. (1129) 339
Wilson, V.G. and Ludes-Meyers, J.
Partite expression of the bovine papillomavirus E1 open reading frame in *Escherichia coli* (1129) 215
Wu, V., see Tari, A. (1129) 49

Xodo, L.E., see Ruggiero, J. (1129) 294

Yamada, H., see Kobayashi, M. (1129) 23
Yamamoto, H., see Itoh, M. (1129) 135
Yamanouchi, K., see Komase, K. (1129) 342
Yang, W.-C., see Chang, S.-C. (1129) 219
Yon, J., see Colombo, P. (1129) 93
Yoshikawa, Y., see Komase, K. (1129) 342
Yu, D.T.Y., see Vuorio, R. (1129) 124

Zelinka, J., see Košovský, J. (1129) 287
Zhong, C., Hayzer, D.J. and Runge, M.S.
Molecular cloning of a cDNA encoding a novel protein related to the neuronal vesicle protein synaptophysin (1129) 234